

## WASTE DISPOSAL INFORMATION FOR PCB WASTE

Need assistance in completing this form?  
Call Toll Free 800-626-5317

Completed form to:  
P.O. Box 7246  
Louisville, KY 40207

9200 Shelbyville  
Rte 1  
Louisville  
40222

WAN 99-000-7494

EPA GENERATOR ID#: NOT REQUIRED

GENERATOR NAME: ALASKAN COPPER WORKS

GENERATOR FACILITY ADDRESS: 628 SOUTH HANFORD SEATTLE WA, 98124

CONTACT NAME: JAMES C. BROWN TITLE: MRO PURCHASING MGR. PHONE #: 206-623-5800

BROKER NAME: TECREP, INC. CONTACT: BILL FINNEY PHONE #: 801 486-9100

BILLING INSTRUCTIONS: BILL BROKER

NEVADA PCB TRANSPORT #: NVT PCB 023

### PCB CATEGORIES

#### TRANSFORMERS/ARTICLES

CATEGORY	CONTAINER INFORMATION (IF SHIPPED IN DRUMS, MUST BE DOT APPROVED)				TOTAL VOLUME CU.FT.	HAS TRANSFORMER BEEN DRAINED & FLUSHED		DOES TRANSFORMER CONTAIN DEBRIS		4-6" OF ABSORBENT HAS BEEN ADDED	
	NUMBER	TYPE	SIZE	WEIGHT		YES	NO	YES	NO	YES	NO

#### BULK/CLEAN-UP MATERIAL

CATEGORY	SPECIFIC LOCATION OF SPILL (STREET, CITY & STATE)	DATE OF SPILL	DENSITY (LBS/FT <sup>3</sup> )	TOTAL VOLUME FT <sup>3</sup>	PRESHIPMENT SAMPLE SENT		DESCRIBE THE MATERIAL (E.G. SOIL, ROCK, WOOD, GLOVES, ETC. BE SPECIFIC)
					YES	NO	

#### DRUMMED/CONTAINERIZED MATERIAL

CATEGORY	CONTAINER INFORMATION					SPECIFIC LOCATION OF SPILL (STREET, CITY, STATE)	DATE OF SPILL	DESCRIBE THE MATERIAL (E.G. SOIL, ROCK, WOOD, GLOVES, ETC. BE SPECIFIC)
	NUMBER	TYPE	SIZE	WEIGHT	DOT APPROVED YES NO			
X	2	55	17-C	450	X	REMOVED FROM X-RAY OUT OF SERVICE DATE MAY 16, 1985		CAPS FOR TRANSSHIPMENT TO ROLLINS FOR INCINERATION

#### OTHER PCB MATERIALS

CATEGORY	CONTAINER INFORMATION					TOTAL VOLUME CU.FT.	WEIGHT	DESCRIBE THE MATERIAL (E.G. SOIL, ROCK, WOOD, GLOVES, ETC. BE SPECIFIC)
	NUMBER	TYPE	SIZE	WEIGHT	DOT APPROVED YES NO			

I CERTIFY THAT THE WASTE MATERIAL IS CONTAMINATED WITH PCB'S AS DESCRIBED ABOVE, THAT ANY OTHER CHEMICAL CONTAMINANTS, IF PRESENT, ARE DESCRIBED IN THE ATTACHED WASTE DISPOSAL INFORMATION SHEET, AND THAT THE WASTE MATERIAL HAS NOT BEEN SOLIDIFIED TO CIRCUMVENT THE TSCA HIGH TEMPERATURE INCINERATOR REQUIREMENTS.

☐ CHECK BOX IF OTHER CHEMICAL CONTAMINANTS ARE PRESENT AND A COMPLETED WDI IS ATTACHED.

James C. Brown MRO Purch Mgr. 9/17/85  
SIGNATURE TITLE DATE